



“Love Lotion”

Clitoral Cream Made With L-Arginine and Aminophylline

- Rapid acting L-Arginine and Aminophylline
- Pharmacy compounded to increase clitoral and vulvar sensation, promote healthy genital bloodflow, and improve sexual response to the stimulation of touching, caressing, and loving foreplay
- Works where it is applied in 15 to 20 minutes
- Sexual pleasure enhanced
- Clitoral and vulva stimulation from arousal and genital sexual blood flow increased
- Women report easier, faster orgasms
- Women report stronger orgasms
- Women report having multiple orgasms easier and faster
- May be helpful to those who desire repeated sexual experiences in close proximity to one another
- May be helpful to women who want to achieve multiple orgasms
- May help women gain control over their orgasmic ability
- May be helpful in the treatment of a variety of female sexual problems including hypoactive sexual desire disorder, hypoactive sexual arousal disorder, female orgasmic disorder, inadequate lubrication, sexual pain, and sexual dysfunction secondary to medication or illness.
- May be helpful in postmenopausal women with decreased sexual response to arousal

This prescription compounded medication made from L-Arginine and Aminophylline.

Patient instructions for using “Love Lotion”

The first time: apply test dose of small amount with fingertip to ensure that you do not have a reaction to the cream. (these are extremely rare)

For Enhanced Sexual Arousal: massage a small amount (about 0.5mL) gently with fingertip into area between urine opening and clitoris, then directly on clitoral head and shaft. Gently spread remainder around inside of labia surrounding vaginal entrance.



“Love Lotion”

Who can benefit from using Love Lotion?

Studies have reported that over 43% of the women in America experience little or no sexual satisfaction from clitoral orgasm and only 25% achieve orgasm with intercourse. In fact, according to studies, numerous women between the ages of 18 and 80 do not even know what an orgasm is or how it is achieved. Whether someone is multi-orgasmic or among the 43% of women who are sexually frustrated, any woman who desires maximum sexual fulfillment, greater intimacy, and enhanced relationships stands to benefit from regular use of **Love Lotion**.

Description:

Love Lotion contains a combination of prescription and non-prescription components described as blood flow enhancers and vasodilators. Each ½ gram dose contains Aminophylline 15-mg., and L-Arginine 30-mg. Dissolved in a water based hypoallergenic transdermal vehicle. The vehicle is designed provide an effective rate of absorption and to cause the medication to be retained locally in order to maximize local effects and metabolism while minimizing the potential for systemic side effects.

Love Lotion Forté contains Glyceryl Trinitrate, added to maximize regional blood flow and sensation, in a penetration enhancing base. Ask your compounding Pharmacist for more details.

Use:

Love Lotion should be applied directly to the clitoris at least 15 to 30 minutes prior to anticipated sexual relations and gently massaged in. Duration of effect ranges from 30 minutes to 2 hours and heightens both ease of stimulation and intensity of orgasm.

Contraindications:

Patients with a history of sensitivity to any of the listed ingredients should not use this product. Patients with a history of genital herpes should use this product with caution as L-Arginine may facilitate reproduction of the herpes virus. **Love Lotion** is available without L-Arginine upon request. Onset is identical to the complete product but duration may be reduced.

How supplied:

Love Lotion is packaged in a 20gm user-friendly cream poptainer.

Love Lotion Forté is packaged in a 20gm cream poptainer.

References:

Dr. J. Kaminetsky, New York Univ. College of Medicine; Univ. of Chicago College of Medicine; J Berman, M.D., I. Goldstein, M.D., Boston Univ. School of Medicine, Dept. of Urology/Continence.